

Item Number 5233100
Ballast Compatibility
 Compatible
 NOT Compatible

Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
ACT	ACT 2P32ISUNVE	INSTANT START	1	N	120/277	Compatible
ACT	ACT 2P32ISUNVE	INSTANT START	2	N	120/277	Compatible
ANTRON ELECTRONICS	A32T8MICLO	INSTANT START	1	L	120/277	Compatible
ANTRON ELECTRONICS	A32T8MICLO	INSTANT START	2	L	120/277	Compatible
ARCATA	ACT 3P32ISUNVLE	INSTANT START	2	L	120/277	Compatible
ARCATA	ACT 3P32ISUNVLE	INSTANT START	3	L	120/277	Compatible
COOPER LIGHTING	CL-432ISUNV-RI-B	INSTANT START	3	H	120/277	Compatible
COOPER LIGHTING	CL-432ISUNV-RI-B	INSTANT START	4	H	120/277	Compatible
DAMAR	EL232-120/277HF(1688B)	INSTANT START	1	N	120/277	Compatible
DAMAR	EL232-120/277HF(1688B)	INSTANT START	2	N	120/277	Compatible
DAMAR	EL232HL-120/277HF(1688D)	INSTANT START	1	H	120/277	Compatible
DAMAR	EL232HL-120/277HF(1688D)	INSTANT START	2	H	120/277	Compatible
DAMAR	EL332-120/277HF(3654C)	INSTANT START	2	N	120/277	Compatible
DAMAR	EL332-120/277HF(3654C)	INSTANT START	3	N	120/277	Compatible
DAMAR	EL332HL-120/277HF(3654H)	INSTANT START	2	H	120/277	Compatible
DAMAR	EL332HL-120/277HF(3654H)	INSTANT START	3	H	120/277	Compatible
DAMAR	EL432-120/277HF(3093B)	INSTANT START	3	N	120/277	Compatible
DAMAR	EL432-120/277HF(3093B)	INSTANT START	4	N	120/277	Compatible
DAMAR	EL432HL-120/277HF(3093C)	INSTANT START	3	H	120/277	Compatible
DAMAR	EL432HL-120/277HF(3093C)	INSTANT START	4	H	120/277	Compatible
EIKO	PM-2X32T8-UNV-IS-L	INSTANT START	1	L	120/277	Compatible
EIKO	PM-2X32T8-UNV-IS-L	INSTANT START	2	L	120/277	Compatible
EIKO	PM-3X32T8-UNV-IS	INSTANT START	2	N	120/277	Compatible
EIKO	PM-3X32T8-UNV-IS	INSTANT START	3	N	120/277	Compatible
EIKO	PM-3X32T8-UNV-IS-H	INSTANT START	2	H	120/277	Compatible
EIKO	PM-3X32T8-UNV-IS-H	INSTANT START	3	H	120/277	Compatible
EIKO	PM-3X32T8-UNV-IS-L	INSTANT START	2	L	120/277	Compatible
EIKO	PM-3X32T8-UNV-IS-L	INSTANT START	3	L	120/277	Compatible
EIKO	PM-4X32T8-UNV-IS	INSTANT START	3	N	120/277	Compatible
EIKO	PM-4X32T8-UNV-IS	INSTANT START	4	N	120/277	Compatible
EIKO	PM-4X32T8-UNV-IS-L	INSTANT START	3	L	120/277	Compatible
EIKO	PM-4X32T8-UNV-IS-L	INSTANT START	4	L	120/277	Compatible
EIKO	PM-2X32T8-UNV-IS	INSTANT START	1	N	120/277	Compatible
EIKO	PM-2X32T8-UNV-IS	INSTANT START	2	N	120/277	Compatible
EIKO	PM-2x32T8-UNV-IS-H	INSTANT START	1	H	120/277	Compatible
EIKO	PM-2x32T8-UNV-IS-H	INSTANT START	2	H	120/277	Compatible
ESPEN	VE232MVHIPE	INSTANT START	1	N	120/277	Compatible
ESPEN	VE232MVHIPE	INSTANT START	2	N	120/277	Compatible
ESPEN	VE232MVHIPHE	INSTANT START	1	H	120/277	Compatible
ESPEN	VE232MVHIPHE	INSTANT START	2	H	120/277	Compatible
ESPEN	VE232MVHIPL	INSTANT START	1	L	120/277	Compatible
ESPEN	VE232MVHIPL	INSTANT START	2	L	120/277	Compatible
GENERAL ELECTRIC	GE-232-MV-N	INSTANT START	1	N	120/277	Compatible
GENERAL ELECTRIC	GE-232-MV-N	INSTANT START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE232MAX-N/ULTRA	INSTANT START	1	N	120/277	Compatible
GENERAL ELECTRIC	GE232MAX-N/ULTRA	INSTANT START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-H/ULTRA	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-H/ULTRA	INSTANT START	4	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-L/ULTRA	INSTANT START	3	L	120/277	Compatible

Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
GENERAL ELECTRIC	GE432MAX-L/ULTRA	INSTANT START	4	L	120/277	Compatible
GENERAL ELECTRIC	GE-232-MAX-H/Ultra	INSTANT START	1	H	120/277	NOT Compatible
GENERAL ELECTRIC	GE-232-MAX-H/Ultra	INSTANT START	2	H	120/277	NOT Compatible
GENERAL ELECTRIC	GE432MAX-G-N	INSTANT START	3	N	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-G-N	INSTANT START	4	N	120/277	Compatible
GENERAL ELECTRIC	GE132MAX-G-N	INSTANT START	1	N	120/277	NOT Compatible
GENERAL ELECTRIC	GE132MAX-H/ULTRA	INSTANT START	1	H	120/277	NOT Compatible
GENERAL ELECTRIC	GE132MAX-L/ULTRA	INSTANT START	1	L	120/277	NOT Compatible
GENERAL ELECTRIC	GE132MAXP-N/ULTRA	INSTANT START	1	N	120/277	Compatible
GENERAL ELECTRIC	GE232MV-N-DIY	INSTANT START	1	N	120/277	Compatible
GENERAL ELECTRIC	GE232MV-N-DIY	INSTANT START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE232MAX-L/ULTRA	INSTANT START	1	L	120/277	Compatible
GENERAL ELECTRIC	GE232MAX-L/ULTRA	INSTANT START	2	L	120/277	Compatible
GENERAL ELECTRIC	GE232MAX347-N	INSTANT START	1	H	277	NOT Compatible
GENERAL ELECTRIC	GE232MAX347-N	INSTANT START	2	H	277	NOT Compatible
GENERAL ELECTRIC	GE332MV-N	INSTANT START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE332MV-N	INSTANT START	3	N	120/277	Compatible
GENERAL ELECTRIC	GE332MAX-N/ULTRA	INSTANT START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE332MAX-N/ULTRA	INSTANT START	3	N	120/277	Compatible
GENERAL ELECTRIC	GE332MAX-L/ULTRA	INSTANT START	2	L	120/277	Compatible
GENERAL ELECTRIC	GE332MAX-L/ULTRA	INSTANT START	3	L	120/277	Compatible
GENERAL ELECTRIC	GE332MAX-G-N	INSTANT START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE332MAX-G-N	INSTANT START	3	N	120/277	Compatible
GENERAL ELECTRIC	GE432-120-RES	INSTANT START	3	N	120	Compatible
GENERAL ELECTRIC	GE432-120-RES	INSTANT START	4	N	120	Compatible
GENERAL ELECTRIC	GE432MV-N-42T	INSTANT START	3	N	120/277	Compatible
GENERAL ELECTRIC	GE432MV-N-42T	INSTANT START	4	N	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-N/ULTRA	INSTANT START	3	N	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-N/ULTRA	INSTANT START	4	N	120/277	Compatible
GENERAL ELECTRIC	GE432MAX347-N	INSTANT START	3	N	347	Compatible
GENERAL ELECTRIC	GE432MAX347-N	INSTANT START	4	N	347	Compatible
GENERAL ELECTRIC	GE232MAXP90-V60	INSTANT START	1	H	120/277	Compatible
GENERAL ELECTRIC	GE232MAXP90-V60	INSTANT START	2	H	120/277	Compatible
GENERAL ELECTRIC	GE332MAXP90-V60	INSTANT START	2	H	120/277	Compatible
GENERAL ELECTRIC	GE332MAXP90-V60	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAXP90-S60	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAXP90-S60	INSTANT START	4	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-H/ULTRA	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-H/ULTRA	INSTANT START	4	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX90-S60	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX90-S60	INSTANT START	4	H	120/277	Compatible
GENERAL ELECTRIC	GE332MAXP-L/ULTRA	INSTANT START	2	L	120/277	Compatible
GENERAL ELECTRIC	GE332MAXP-L/ULTRA	INSTANT START	3	L	120/277	Compatible
GENERAL ELECTRIC	GE232MAX-G-N	INSTANT START	1	N	120/277	Compatible
GENERAL ELECTRIC	GE232MAX-G-N	INSTANT START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE-232-MAX-H-42T	INSTANT START	1	H	120/277	NOT Compatible
GENERAL ELECTRIC	GE-232-MAX-H-42T	INSTANT START	2	H	120/277	NOT Compatible
GENERAL ELECTRIC	GE432MAX-H-42T	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-H-42T	INSTANT START	4	H	120/277	Compatible



Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
GENERAL ELECTRIC	332MAX-H-84TS	INSTANT START	2	H	120/277	Compatible
GENERAL ELECTRIC	332MAX-H-84TS	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	332MAX-H-42T	INSTANT START	2	H	120/277	Compatible
GENERAL ELECTRIC	332MAX-H-42T	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-G-H	INSTANT START	3	H	120/277	Compatible
GENERAL ELECTRIC	GE432MAX-G-H	INSTANT START	4	H	120/277	Compatible
GENERAL ELECTRIC	GE232-MVPS-N	PROGRAM START	1	N	120/277	Compatible
GENERAL ELECTRIC	GE232-MVPS-N	PROGRAM START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE-332-MVPS-N	PROGRAM START	2	N	120/277	Compatible
GENERAL ELECTRIC	GE-332-MVPS-N	PROGRAM START	3	N	120/277	Compatible
GENERAL ELECTRIC	GE-232-MV-PS-N	PROGRAM START	1	N	120/277	Compatible
GENERAL ELECTRIC	GE-232-MV-PS-N	PROGRAM START	2	N	120/277	Compatible
HALCO	EP232IS/MV/HE	INSTANT START	1	N	120/277	Compatible
HALCO	EP232IS/MV/HE	INSTANT START	2	N	120/277	Compatible
HALCO	EP332IS/MV/HE	INSTANT START	2	N	120/277	Compatible
HALCO	EP332IS/MV/HE	INSTANT START	3	N	120/277	Compatible
HALCO	EP432IS/MV/HE	INSTANT START	3	N	120/277	Compatible
HALCO	EP432IS/MV/HE	INSTANT START	4	N	120/277	Compatible
HALCO	EP432IS/L/MV/HE	INSTANT START	3	L	120/277	Compatible
HALCO	EP432IS/L/MV/HE	INSTANT START	4	L	120/277	Compatible
HALCO	EP232IS/L/MV/HE	INSTANT START	1	L	120/277	Compatible
HALCO	EP232IS/L/MV/HE	INSTANT START	2	L	120/277	Compatible
HALCO	EP232IS/H/MV/HE	INSTANT START	1	H	120/277	Compatible
HALCO	EP232IS/H/MV/HE	INSTANT START	2	H	120/277	Compatible
HALCO	EP332IS/L/MV/HE	INSTANT START	2	L	120/277	Compatible
HALCO	EP332IS/L/MV/HE	INSTANT START	3	L	120/277	Compatible
HALCO	EP432IS/120/MC	INSTANT START	3	N	120/277	Compatible
HALCO	EP432IS/120/MC	INSTANT START	4	N	120/277	Compatible
HATCH	HL232BIS/UV/HE/W	INSTANT START	1	N	120/277	Compatible
HATCH	HL232BIS/UV/HE/W	INSTANT START	2	N	120/277	Compatible
HATCH	HL432BIS/UV/HE/W	INSTANT START	3	N	120/277	Compatible
HATCH	HL432BIS/UV/HE/W	INSTANT START	4	N	120/277	Compatible
HOWARD INDUSTRIES	EPH4/32IS/MV/SC/HE	INSTANT START	3	H	120/277	Compatible
HOWARD INDUSTRIES	EPH4/32IS/MV/SC/HE	INSTANT START	4	H	120/277	Compatible
HOWARD INDUSTRIES	EP3/32IS/MV/SC/HE	INSTANT START	2	N	120/277	Compatible
HOWARD INDUSTRIES	EP3/32IS/MV/SC/HE	INSTANT START	3	N	120/277	Compatible
HOWARD INDUSTRIES	EPL4/32IS/MV/MC/HE	INSTANT START	3	L	120/277	Compatible
HOWARD INDUSTRIES	EPL4/32IS/MV/MC/HE	INSTANT START	4	L	120/277	Compatible
HOWARD INDUSTRIES	EPH2/32IS/MV/MC/HE	INSTANT START	1	H	120/277	Compatible
HOWARD INDUSTRIES	EPH2/32IS/MV/MC/HE	INSTANT START	2	H	120/277	Compatible
HOWARD INDUSTRIES	E2/32IS-120MC	INSTANT START	1	N	120	Compatible
HOWARD INDUSTRIES	E2/32IS-120MC	INSTANT START	2	N	120	Compatible
HOWARD INDUSTRIES	EPL2/32IS/MV/MC/HE	INSTANT START	1	L	120/277	Compatible
HOWARD INDUSTRIES	EPL2/32IS/MV/MC/HE	INSTANT START	2	L	120/277	Compatible
HOWARD INDUSTRIES	EPL3/32IS/MV/SC/HE	INSTANT START	2	L	120/277	Compatible
HOWARD INDUSTRIES	EPL3/32IS/MV/SC/HE	INSTANT START	3	L	120/277	Compatible
HOWARD INDUSTRIES	EP4/32IS/MV/MC/HE	INSTANT START	3	N	120/277	Compatible
HOWARD INDUSTRIES	EP4/32IS/MV/MC/HE	INSTANT START	4	N	120/277	Compatible



Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
HOWARD INDUSTRIES	EP2/32IS/MV/MC/HE	INSTANT START	1	N	120/277	Compatible
HOWARD INDUSTRIES	EP2/32IS/MV/MC/HE	INSTANT START	2	N	120/277	Compatible
HOWARD INDUSTRIES	EP3/32IS/MV/MC/HE	INSTANT START	2	N	120/277	Compatible
HOWARD INDUSTRIES	EP3/32IS/MV/MC/HE	INSTANT START	3	N	120/277	Compatible
HOWARD INDUSTRIES	EPH3/32IS/MV/MC/HE	INSTANT START	2	N	120/277	Compatible
HOWARD INDUSTRIES	EPH3/32IS/MV/MC/HE	INSTANT START	3	N	120/277	Compatible
KEYSTONE	KTEB-232-UV-IS-N-P	INSTANT START	1	N	120/277	Compatible
KEYSTONE	KTEB-232-UV-IS-N-P	INSTANT START	2	N	120	Compatible
KEYSTONE	KTEB-232-UV-IS-N-P	INSTANT START	2	N	277	NOT Compatible
KEYSTONE	KTEB-432RIS-1-TP-SL	INSTANT START	3	N	120	Compatible
KEYSTONE	KTEB-432RIS-1-TP-SL	INSTANT START	4	N	120	Compatible
KEYSTONE	KTEB-332-UV-IS-N-P	INSTANT START	2	N	120/277	Compatible
KEYSTONE	KTEB-332-UV-IS-N-P	INSTANT START	3	N	120/277	Compatible
KEYSTONE	KTEB-432-UV-IS-N-P	INSTANT START	3	N	120/277	Compatible
KEYSTONE	KTEB-432-UV-IS-N-P	INSTANT START	4	N	120/277	Compatible
KEYSTONE	KTEB-232LBF-1-TP-PIC-EV	INSTANT START	1	N	120	Compatible
KEYSTONE	KTEB-232LBF-1-TP-PIC-EV	INSTANT START	2	N	120	Compatible
KEYSTONE	KTEB-232-UV-IS-H-P	INSTANT START	1	H	120/277	Compatible
KEYSTONE	KTEB-232-UV-IS-H-P	INSTANT START	2	H	120/277	Compatible
KEYSTONE	KTEB-332-UV-IS-H-P	INSTANT START	2	H	120/277	Compatible
KEYSTONE	KTEB-332-UV-IS-H-P	INSTANT START	3	H	120/277	Compatible
KEYSTONE	KTEB-432-UV-IS-H-P	INSTANT START	3	H	120/277	Compatible
KEYSTONE	KTEB-432-UV-IS-H-P	INSTANT START	4	H	120/277	Compatible
LIGHTING PRODUCTS LIMITED	EB-332EBF-UV-TP-HE	INSTANT START	2	L	120/277	Compatible
LIGHTING PRODUCTS LIMITED	EB-332EBF-UV-TP-HE	INSTANT START	3	L	120/277	Compatible
MAXLITE	SKEU322HEL/SC	INSTANT START	1	L	120/277	Compatible
MAXLITE	SKEU322HEL/SC	INSTANT START	2	L	120/277	Compatible
MAXLITE	SKEU324HE/SC	INSTANT START	3	N	120/277	Compatible
MAXLITE	SKEU324HE/SC	INSTANT START	4	N	120/277	Compatible
MAXLITE	SKEU323L/SC	INSTANT START	2	L	120/277	Compatible
MAXLITE	SKEU323L/SC	INSTANT START	3	L	120/277	Compatible
MAXLITE	MLEU322HEL/SC	INSTANT START	1	N	120/277	Compatible
MAXLITE	MLEU322HEL/SC	INSTANT START	2	N	120/277	Compatible
MAXLITE	MLEU323H/SC	INSTANT START	2	H	120/277	Compatible
MAXLITE	MLEU323H/SC	INSTANT START	3	H	120/277	Compatible
MAXLITE	MLEU324HE/SC	INSTANT START	3	N	120/277	Compatible
MAXLITE	MLEU324HE/SC	INSTANT START	4	N	120/277	Compatible
OSRAM	QHE 2x32T8/347 PSN-SC	PROGRAM RAPID START	1	N	277	Compatible
OSRAM	QHE 2x32T8/347 PSN-SC	PROGRAM RAPID START	2	N	277	Compatible
OSRAM SYLVANIA	QTP 2X32T8/UNV ISN-SC	INSTANT START	1	N	120/277	Compatible
OSRAM SYLVANIA	QTP 2X32T8/UNV ISN-SC	INSTANT START	2	N	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISN-SC	INSTANT START	1	N	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISN-SC	INSTANT START	2	N	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISL-SC	INSTANT START	1	L	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISL-SC	INSTANT START	2	L	120/277	Compatible
OSRAM SYLVANIA	QHE 4X32T8/UNV ISN-SC	INSTANT START	3	N	120/277	Compatible
OSRAM SYLVANIA	QHE 4X32T8/UNV ISN-SC	INSTANT START	4	N	120/277	Compatible
OSRAM SYLVANIA	QHE 4X32T8/UNV ISL-SC	INSTANT START	3	L	120/277	Compatible
OSRAM SYLVANIA	QHE 4X32T8/UNV ISL-SC	INSTANT START	4	L	120/277	Compatible

Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
OSRAM SYLVANIA	QHE 1X32T8/UNV ISN-SC	INSTANT START	1	N	120/277	Compatible
OSRAM SYLVANIA	QHE 1X32T8/UNV ISL-SC	INSTANT START	1	L	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISH-SC	INSTANT START	1	H	120/277	NOT Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISH-SC	INSTANT START	2	H	120/277	Compatible
OSRAM SYLVANIA	QTP 3X32T8/UNV ISN-SC	INSTANT START	2	N	120/277	Compatible
OSRAM SYLVANIA	QTP 3X32T8/UNV ISN-SC	INSTANT START	3	N	120/277	Compatible
OSRAM SYLVANIA	QHE 3X32T8/UNV ISN-SC	INSTANT START	3	N	120/277	Compatible
OSRAM SYLVANIA	QHE 3X32T8/UNV ISN-SC	INSTANT START	4	N	120/277	Compatible
OSRAM SYLVANIA	QHE 3X32T8/UNV ISL-SC	INSTANT START	2	L	120/277	Compatible
OSRAM SYLVANIA	QHE 3X32T8/UNV ISL-SC	INSTANT START	3	L	120/277	Compatible
OSRAM SYLVANIA	QTP2x32T8/277 ISN-D	INSTANT START	1	L	277	Compatible
OSRAM SYLVANIA	QTP2x32T8/277 ISN-D	INSTANT START	2	L	277	Compatible
OSRAM SYLVANIA	QHE 3x32T8/UNV ISH HT-SC	INSTANT START	2	H	120/277	Compatible
OSRAM SYLVANIA	QHE 3x32T8/UNV ISH HT-SC	INSTANT START	3	H	120/277	Compatible
OSRAM SYLVANIA	QTP 2X32T8/UNV ISL-SC	INSTANT START	1	L	120/277	Compatible
OSRAM SYLVANIA	QTP 2X32T8/UNV ISL-SC	INSTANT START	2	L	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISH HT-SC	INSTANT START	1	H	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV ISH HT-SC	INSTANT START	2	H	120/277	Compatible
OSRAM SYLVANIA	QHE 4x32T8/UNV ISH-SC	INSTANT START	3	H	120/277	NOT Compatible
OSRAM SYLVANIA	QHE 4x32T8/UNV ISH-SC	INSTANT START	4	H	120/277	NOT Compatible
OSRAM SYLVANIA	QT 2x32/347 ISH-SC	INSTANT START	1	H	347	Compatible
OSRAM SYLVANIA	QT 2x32/347 ISH-SC	INSTANT START	2	H	347	Compatible
OSRAM SYLVANIA	QHE 1X32T8/UNV ISH-SC	INSTANT START	1	L	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV PSN-MC	PROGRAM RAPID START	1	N	120/277	Compatible
OSRAM SYLVANIA	QHE 2X32T8/UNV PSN-MC	PROGRAM RAPID START	2	N	120/277	Compatible
OSRAM SYLVANIA	QHE 3X32T8/UNV PSN-SC	PROGRAM RAPID START	2	N	120/277	Compatible
OSRAM SYLVANIA	QHE 3X32T8/UNV PSN-SC	PROGRAM RAPID START	3	N	120/277	Compatible
OSRAM SYLVANIA	QHE 4X32T8/UNV PSN-SC	PROGRAM RAPID START	3	N	120/277	Compatible
OSRAM SYLVANIA	QHE 4X32T8/UNV PSN-SC	PROGRAM RAPID START	4	N	120/277	Compatible
PACIFIC FLOURESCENT	EB-232IS-120-RES	INSTANT START	1	N	120	Compatible
PACIFIC FLOURESCENT	EB-232IS-120-RES	INSTANT START	2	N	120	Compatible
PHILIPS-ADVANCE	ICN-2P32-N	INSTANT START	1	N	120/277	Compatible
PHILIPS-ADVANCE	ICN-2P32-N	INSTANT START	2	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-2P32-N	INSTANT START	1	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-2P32-N	INSTANT START	2	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-2P32-LW-N	INSTANT START	1	L	120/277	Compatible
PHILIPS-ADVANCE	IOP-2P32-LW-N	INSTANT START	2	L	120/277	Compatible
PHILIPS-ADVANCE	IOPA-3P32-LW-N	INSTANT START	2	L	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-3P32-LW-N	INSTANT START	3	L	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-4P32-N	INSTANT START	3	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-4P32-N	INSTANT START	4	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-4P32-HL-SC	INSTANT START	3	H	120/277	Compatible
PHILIPS-ADVANCE	IOPA-4P32-HL-SC	INSTANT START	4	H	120/277	Compatible
PHILIPS-ADVANCE	IOP-4P32-N	INSTANT START	3	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-4P32-N	INSTANT START	4	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-4P32-LW-N	INSTANT START	3	L	120/277	Compatible
PHILIPS-ADVANCE	IOP-4P32-LW-N	INSTANT START	4	L	120/277	Compatible
PHILIPS-ADVANCE	ICN-4P32-N	INSTANT START	3	N	120/277	Compatible
PHILIPS-ADVANCE	ICN-4P32-N	INSTANT START	4	N	120/277	Compatible

Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
PHILIPS-ADVANCE	IOP-1P32-N	INSTANT START	1	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-2P32HL-SC	INSTANT START	1	H	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-2P32HL-SC	INSTANT START	2	H	120/277	NOT Compatible
PHILIPS-ADVANCE	ICN-1P32-N	INSTANT START	1	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-1P32-N	INSTANT START	1	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-3P32-N	INSTANT START	2	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-3P32-N	INSTANT START	3	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-3P32-N	INSTANT START	2	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-3P32-N	INSTANT START	3	N	120/277	NOT Compatible
PHILIPS-ADVANCE	REB-4P32-SC	INSTANT START	3	N	120	Compatible
PHILIPS-ADVANCE	REB-4P32-SC	INSTANT START	4	N	120	Compatible
PHILIPS-ADVANCE	IOP-4P32-HL-SC	INSTANT START	3	H	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-4P32-HL-SC	INSTANT START	4	H	120/277	NOT Compatible
PHILIPS-ADVANCE	ICN-3P32-N	INSTANT START	2	N	120/277	NOT Compatible
PHILIPS-ADVANCE	ICN-3P32-N	INSTANT START	3	N	120/277	NOT Compatible
PHILIPS-ADVANCE	VEL-2P32-SC	INSTANT START	1	N	277	Compatible
PHILIPS-ADVANCE	VEL-2P32-SC	INSTANT START	2	N	277	Compatible
PHILIPS-ADVANCE	IOPA-2P32-HL-N	INSTANT START	1	H	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-2P32-HL-N	INSTANT START	2	H	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-3P32HL-90C-SC	INSTANT START	2	H	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-3P32HL-90C-SC	INSTANT START	3	H	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-4P32-SC	INSTANT START	3	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOP-4P32-SC	INSTANT START	4	N	120/277	NOT Compatible
PHILIPS-ADVANCE	IOPA-4P32-SC	INSTANT START	3	N	120/277	Compatible
PHILIPS-ADVANCE	IOPA-4P32-SC	INSTANT START	4	N	120/277	Compatible
PHILIPS-ADVANCE	ICN-132-MC	INSTANT START	1	N	120/277	Compatible
PHILIPS-ADVANCE	ICN-3P32-SC	INSTANT START	2	N	120/277	Compatible
PHILIPS-ADVANCE	ICN-3P32-SC	INSTANT START	3	N	120/277	Compatible
PHILIPS-ADVANCE	VEL-3P32-SC	INSTANT START	2	N	120/277	Compatible
PHILIPS-ADVANCE	VEL-3P32-SC	INSTANT START	3	N	120/277	Compatible
PHILIPS-ADVANCE	IOPA-4P32-HL	INSTANT START	3	H	120/277	Compatible
PHILIPS-ADVANCE	IOPA-4P32-HL	INSTANT START	4	H	120/277	Compatible
PHILIPS-ADVANCE	IOP-3PSP32-SC	PROGRAM START	2	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-3PSP32-SC	PROGRAM START	3	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-4PSP32-SC	PROGRAM START	3	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-4PSP32-SC	PROGRAM START	4	N	120/277	Compatible
PHILIPS-ADVANCE	IOP-4PSP32-LW-SC	PROGRAM START	3	L	120/277	Compatible
PHILIPS-ADVANCE	IOP-4PSP32-LW-SC	PROGRAM START	4	L	120/277	Compatible
PLUSRITE	BAF232IS/MV	INSTANT START	1	N	120/277	Compatible
PLUSRITE	BAF232IS/MV	INSTANT START	2	N	120/277	Compatible
PLUSRITE	BAF332IS/MV	INSTANT START	2	N	120/277	Compatible
PLUSRITE	BAF332IS/MV	INSTANT START	3	N	120/277	Compatible
PLUSRITE	BAF332IS/MV/L	INSTANT START	2	L	120/277	Compatible
PLUSRITE	BAF332IS/MV/L	INSTANT START	3	L	120/277	Compatible
PLUSRITE	BAF432IS/MV	INSTANT START	3	N	120/277	Compatible
PLUSRITE	BAF432IS/MV	INSTANT START	4	N	120/277	Compatible
PLUSRITE	BAF432IS/MV/L	INSTANT START	3	L	120/277	Compatible
PLUSRITE	BAF432IS/MV/L	INSTANT START	4	L	120/277	Compatible
PROLUME	EP232IS/L/MV/SL	INSTANT START	1	L	120/277	Compatible

Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
PROLUME	EP232IS/L/MV/SL	INSTANT START	2	L	120/277	Compatible
PROLUME	E432IS/120/R/SL	INSTANT START	3	N	120	Compatible
PROLUME	E432IS/120/R/SL	INSTANT START	4	N	120	Compatible
SOLA	E-758-U-232-MC	INSTANT START	1	N	120/277	Compatible
SOLA	E-758-U-232-MC	INSTANT START	2	N	120/277	Compatible
SUNPARK	120-1/32IS HPF	INSTANT START	1	N	120	Compatible
SUNPARK	U-2/32ISE-LBF	INSTANT START	1	I	120/277	Compatible
SUNPARK	U-2/32ISE-LBF	INSTANT START	2	L	120/277	Compatible
SUNPARK	U-3/32ISE	INSTANT START	2	N	120/277	Compatible
SUNPARK	U-3/32ISE	INSTANT START	3	N	120/277	Compatible
SUNPARK	U-3/32ISE-HBF	INSTANT START	2	H	120/277	Compatible
SUNPARK	U-3/32ISE-HBF	INSTANT START	3	H	120/277	Compatible
SUNPARK	120-3/32IS MPF	INSTANT START	2	N	120	Compatible
SUNPARK	120-3/32IS MPF	INSTANT START	3	N	120	Compatible
SUNPARK	U-4/32IS HP,F	INSTANT START	3	N	120/277	Compatible
SUNPARK	U-4/32IS HP,F	INSTANT START	4	N	120/277	Compatible
SUNPARK	U-4/32IS HBF	INSTANT START	3	H	120/277	Compatible
SUNPARK	U-4/32IS HBF	INSTANT START	4	H	120/277	Compatible
SUNPARK	U-4/32ISE-LBF	INSTANT START	3	L	120/277	Compatible
SUNPARK	U-4/32ISE-LBF	INSTANT START	4	L	120/277	Compatible
SUNPARK	SL15T	PROGRAM START	1	N	120	NOT Compatible
SUNPARK	SL15T	PROGRAM START	2	N	120	NOT Compatible
SUPERIOR LIFE	70201	INSTANT START	1	N	120/277	Compatible
SUPERIOR LIFE	70201	INSTANT START	2	N	120/277	Compatible
SYLVANIA	QT 3x32/277 IS	INSTANT START	2		120/277	Compatible
SYLVANIA	QT 3x32/277 IS	INSTANT START	3		120/277	Compatible
TCP	E4P32ISUNVLE	INSTANT START	3	L	120/277	NOT Compatible
TCP	E4P32ISUNVLE	INSTANT START	4	L	120/277	NOT Compatible
TCP	E3P32ISUNVE	INSTANT START	2	N	120/277	Compatible
TCP	E3P32ISUNVE	INSTANT START	3	N	120/277	Compatible
TCP	E3P32ISUNVLE	INSTANT START	2	L	120/277	NOT Compatible
TCP	E3P32ISUNVLE	INSTANT START	3	L	120/277	Compatible
TCP	E4P32ISUNVE	INSTANT START	3	N	120/277	Compatible
TCP	E4P32ISUNVE	INSTANT START	4	N	120/277	Compatible
TCP	E4P32ISUNVHE	INSTANT START	3	N	120/277	Compatible
TCP	E4P32ISUNVHE	INSTANT START	4	N	120/277	Compatible
TCP	TCP3P32ISUNVH	INSTANT START	2	H	120/277	NOT Compatible
TCP	TCP3P32ISUNVH	INSTANT START	3	H	120/277	NOT Compatible
TCP	E3P32ISUNVHE	INSTANT START	2	H	120/277	NOT Compatible
TCP	E3P32ISUNVHE	INSTANT START	3	H	120/277	NOT Compatible
TOPAZ	B232IUNVHEH/A-TPZ	INSTANT START	1	H	120/277	Compatible
TOPAZ	B232IUNVHEH/A-TPZ	INSTANT START	2	H	120/277	Compatible
TOPAZ	B432IUNVHEH/A-TPZ	INSTANT START	3	H	120/277	Compatible
TOPAZ	B432IUNVHEH/A-TPZ	INSTANT START	4	H	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVHP-N	INSTANT START	1	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVHP-N	INSTANT START	2	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVEL-A	INSTANT START	1	L	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVEL-A	INSTANT START	2	L	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B233IUNVHE-A	INSTANT START	1	N	120/277	Compatible

Ballast Compatibility



Ballast Brand	Ballast Model #	Starting Method	# of Lamps Installed	Ballast Factor	Voltage	Status
UNIVERSAL LIGHTING TECHNOLOGIES	B233IUNVHE-A	INSTANT START	2	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHE L-A	INSTANT START	3	L	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHE L-A	INSTANT START	4	L	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVHEH-A	INSTANT START	1	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVHEH-A	INSTANT START	2	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B332IUNVHP-A	INSTANT START	2	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B332IUNVHP-A	INSTANT START	3	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHP-A	INSTANT START	3	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHP-A	INSTANT START	4	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232I120RES-A	INSTANT START	1	N	120	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232I120RES-A	INSTANT START	2	N	120	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B132IUNVHP-N	INSTANT START	1	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVHP-B	INSTANT START	1	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNVHP-B	INSTANT START	2	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNV-C	INSTANT START	1	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232IUNV-C	INSTANT START	2	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHE-A	INSTANT START	3	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHE-A	INSTANT START	4	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHEH-E	INSTANT START	3	H	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432IUNVHEH-E	INSTANT START	4	H	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232I277RH-A	INSTANT START	3	H	277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232I277RH-A	INSTANT START	4	H	277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B332IHRVHB-E	INSTANT START	2	H	120/277	NOT Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B332IHRVHB-E	INSTANT START	3	H	120/277	NOT Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432PUNVHE-A	PROGRAM START	3	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B432PUNVHE-A	PROGRAM START	4	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232PUNVHE-B	PROGRAM START	1	N	120/277	Compatible
UNIVERSAL LIGHTING TECHNOLOGIES	B232PUNVHE-B	PROGRAM START	2	N	120/277	NOT Compatible
WATRAN	DB-232N-MV-TP-HE	INSTANT START	1	N	120/277	NOT Compatible
WATRAN	DB-232N-MV-TP-HE	INSTANT START	2	N	120/277	Compatible
WATRAN	DB-332N-MV-TP-HE	INSTANT START	2	N	120/277	Compatible
WATRAN	DB-332N-MV-TP-HE	INSTANT START	3	N	120/277	Compatible
WATRAN	DB-432N-MV-TP-HE	INSTANT START	3	N	120/277	Compatible
WATRAN	DB-432N-MV-TP-HE	INSTANT START	4	N	120/277	Compatible
WATRAN	DB-432L-MV-TP-HE	INSTANT START	3	L	120/277	Compatible
WATRAN	DB-432L-MV-TP-HE	INSTANT START	4	L	120/277	Compatible
WATRAN	DB-232N-MV-TP-HE-SC	INSTANT START	1	N	120/277	Compatible
WATRAN	DB-232N-MV-TP-HE-SC	INSTANT START	2	N	120/277	Compatible
WATRAN	DBG32N-MV-TP-PS-HL	PROGRAM START	2	H	120/277	NOT Compatible
WATRAN	DBG32N-MV-TP-PS-HL	PROGRAM START	3	H	120/277	NOT Compatible
WORK HORSE	WHS G3-UNV-T8-IS	INSTANT START	2	N	120/277	Compatible
WORK HORSE	WHS G3-UNV-T8-IS	INSTANT START	3	N	120/277	Compatible
WORK HORSE	WHS G4-UNV-T8-IS	INSTANT START	3	N	120/277	Compatible
WORK HORSE	WHS G4-UNV-T8-IS	INSTANT START	4	N	120/277	Compatible

Emergency Ballast



Ballast Brand	Ballast Model #	Starting Method	# of Lamps	Status
BODINE	B50	AC	1	Compatible
ESPEN	VEM500DV(L)	AC	1	Compatible
ESPEN	VEM1300DV(L)	AC	1	Compatible
EXITRONIX	XEB-7-B-LM	AC	1	Compatible
KEYSTONE	KT-EMRG-1300-T5	AC	1	Compatible
TAMLITE	BAL1400LPACTD	AC	1	Compatible

Dimming Ballast

Ballast Brand	Ballast Model #	Starting Method	# of Lamps	Ballast Factor	Status
General Electric	GE132MVPSN-VO3	PROGRAM START	1	N	Compatible
KEYSTONE	KTLD-2T8LED-UV-IS-VDIM	PROGRAM START	1	N	Compatible
KEYSTONE	KTLD-2T8LED-UV-IS-VDIM	PROGRAM START	2	N	Compatible

Specifications are subject to change without notice, please visit www.westinghouselighting.com for latest information.

